REVIEWER

ATTACHMENT TO PAPER NO.

### NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Words do not appear on a horizontal, left-to-right fashion when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s)		
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s)  1 full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographs double-weight paper). Fig(s) PEO FAPER, 37 CFR 1.84(g) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Pig(s) Pig(s) PIG FAPER, 37 CFR 1.84(g) (so thin) Fig(s) PIG FAPER, 37 CFR 1.84(g) (so thin) Fig(s) PIG FAPER, 37 CFR 1.84(g) (so thin) Pig(s) Paper not flexible, strong, white, and durable. Fig(s) All drawing sheets not an acceptable (too thin) Fig(s) Drawings sheets not an acceptable sizes: Shee(s) Drawings sheets not an acceptable wind the following sheets not an acceptable size. Fig(s) Paper not flexible, strong white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Solid black areas pale, Fig(s) Solid black areas pale, Fig(s) Solid black shading not permitted. Fig(s) Solid black standing not used for color contrast. Fig(s) Solid black standing not used for color contrast. Fig(s) Solid black standing not used for color contrast. Fig(s) Solid black standing not used for color contrast. Fig(s) Solid black standing not used for color contrast. Fig(s) Solid black standing not used for color contrast. Fig(s) Solid black standing not used for color contrast. Fig(s) Solid black standing not used for color contra	DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings:	
becomes the right side, except for graphs. Fig(s)  HOTOGRAPHS. 37 CFR 1.84 (b)  1 full-tone set is required. Fig(s)  Photographs not properly mounted (must use brystol board or photographs doubte-weight paper). Fig(s)  Photographs not properly mounted (must use brystol board or photographs doubte-weight paper). Fig(s)  Paper not flexible, strong, white, and durable. Fig(s)  Paper not flexible, strong, white, and durable. Fig(s)  Mylar, velum paper is not acceptable (too thin). Fig(s)  Z10 cm by 29.7 cm (OIN size A4)  Z1.6 cm by 27.9 cm (8 1/2 x 11 inches)  All drawing sheets not line same size.  Shee(s)  Drawings sheets not an acceptable size. Fig(s)  MARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  SIZE A 45 Size  All crawing sheets not an acceptable size. Fig(s)  SIZE A 45 Size  MARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  SIZE A 45 Size  MID Top (T)  EMBLY (R)  Bottom (B)  EMINDER: Specification may require revision to merespond to drawing changes.  Intil view. 37 CFR 1.84(p)  SEMINDER: Specification may require revision to merespond to drawing changes.  Intil view. 37 CFR 1.84(p)(2)  Fig(s)  EMINDER: Specification may require revision to merespond to drawing changes.  Intil view. 37 CFR 1.84(p)(2)  EMBLY (R)  EMBLY (R)  Bottom (B)  EMINDER: Specification may require revision to merespond to drawing changes.  Intil view. 37 CFR 1.84(p)(2)  Fig(s)  EMINDER: Specification may require revision to merespond to drawing changes.  Intil view. 37 CFR 1.84(p)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  EMINDER: Specification may require revision to merespond to drawing changes.  Intil view. 37 CFR 1.84(p)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Solid black shading not used for color contrast.  Fig(s)  Solid black shading not used for color contrast.  Fig(s)  Solid black shading not used for color contrast.  Fig(s)  Solid black shading not used for color contrast.		Words do not appear on a horizontal, left-to-right fashion
Pencil and non black ink not permitted. Fig(s)  1 full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographs not properly properly mounted (must use brystol board areas pale. Fig(s)  Solid black standing not large not properly		when page is either upright or turned so that the top
HOTOGRAPHS. 37 CFR 1.84 (b)  I full-tone set is required. Fig(s)  Photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs double-weight paper). Fig(s)  Poor quality (half-tone). Fig(s)  Paper not flexible, strong, white, and durable. Fig(s)  Paper not flexible, strong white, and durable. Fig(s)  Date in the strong white and durable. Fig(s)  Date in the strong white, and black (poor line quality). Fig(s)  Date in the strong not permitted. Fig(s)  Solid black areas pale. Fig(s)  Numbers and reference characters not printed in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s)  Numbers and reference characters must be at leas 32		
1 full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Photographic double-weight paper). Fig(s) PFO of PAPER, 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable sizes: 21.0 cm by 27.7 cm (DIN size A4) All drawing sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Markins- 37 CFR 1.84(f): Acceptable margins: SizEr- A4 Size Drawings sheets not an acceptable size. Fig(s) Mylar selum paper is not acceptable size. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Markins- 37 CFR 1.84(f): Acceptable margins: SizEr- 44 Size Drawings sheets not man acceptable size. Fig(s) Mylar selum paper is not acceptable size. Fig(s) Drawings sheets not in a macceptable size. Fig(s) Drawings sheets not in a macceptable size. Fig(s) Mumbers and reference characters not plain and legible. Fig(s) Fig(		
Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s)  Foor quality (half-tone). Fig(s)  Paper not flexible, strong, white, and durable. Fig(s)  Paper not flexible, strong, white, and durable. Fig(s)  Paper not flexible, strong, white, and durable. Fig(s)  Mylar, velum paper is not acceptable (too thin). Fig(s)  21.0 cm by 29.7 cm (Din size A4)  21.0 cm by 29.7 cm (Din size A4)  21.0 cm by 29.7 cm (Din size A4)  21.0 cm by 29.7 cm (Bin sheets not the same size. Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZEx- 81 (2.5 cm Right 1.5 c		
photographic double-weight paper). Fig(s) Foor quality (half-lone). Fig(s) YPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) YPE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (R) Iz 21 lin ches) All drawing sheets not the same size. Shect(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) MAGINS. 37 CFR 1.84(g): Acceptable margins:  SIZE: A4 Size  20.2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Drawings sheets not may require revision to orrespond to drawing changes.  Italiarisms not acceptable. Fig(s) Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Enalged view not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMENTS		
Foor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar, vetum paper is not acceptable. Fig(s) Mylar, vetum paper is not acceptable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar, vetum paper is not acceptable. Fig(s) Solid black area pale. Fig(s) Solid black stang not permitted. Fig(s) Solid black stang not permit	Photographis not properly mounted (must use brysto) board or	•
YPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.0 cm by 29.7 cm (DIN size A4) 21.0 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Margins. 37 CFR 1.84(g): Acceptable margins: ARGINS. 37 CFR 1.84(p): Acceptable margins: ARGINS. 37 CFR 1.84(p		
Paper not flexible, strong, white, and durable. Fig(s) Figs) Mylar, velum paper is not acceptable, and black (poor line quality). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Lines, numbers & letters not uniformly, thick and well defined, clean, dyrable, and black (poor line quality). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Lic OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.0 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Size A Size Drawings sheets not an acceptable size. Size A Size Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Size A Size Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not uniformly, thick and well defined, clean, dyrable, and black (poor line quality). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s)  Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at leas 32 cm (/i8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s)  Lead lines missing. Fig(s)  Lead lines missing. Fig(s)  Lead lines missing. Fig(s)  14. NUMBERINO OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s)  Enlarged view not labeled separately or properly. Fig(s)  Enlarged view not labeled separately or properly. Fig(s)  Enlarged view not labeled separately or properly. Fig(s)  Enlarged view not labeled separately or properly. Fig(s)  Enlarged view not labe		
Erasures, alterations, overwritings, interilineations, folds, copy machine marks not accepted. Fig(s)  Mylar, velum paper is not acceptable (too thin). Fig(s)  Mylar, velum paper is not acceptable (too thin). Fig(s)  IZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (81/2 x 11 inches)  All drawing sheets not the same size. Sheet(s)  Drawings sheets not an acceptable margins:  Drawings sheets not man acceptable margins:  Drawings sheets not an acceptable margins:  Drawings sheets not man acceptable margins:  Drawings sheets not origin in the same direction as the view. 37 CFR 1.84(p)(2)  Figs  Drawings sheets not margins:  Drawings		
Erasurs, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s)  Mylar, velum paper is not acceptable (too thin). Fig(s)  IZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size x4) 21.6 cm by 27.9 cm (BIN size x6) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(p): Acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(p): Acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(p): Acceptable size. Fig(s)  IARGINS. 37 CFR 1		
folds, copy machine marks not accepted. Fig(s)  Mylar, velum paper is not acceptable (too thin). Fig(s)  IZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.7 cm (Din Size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size po 2.5 cm Left 2.5 cm Right 1.5 cm Bottom		
Mylar, velum paper is not acceptable (too thin). Fig(s)  IZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4)  21.6 cm by 29.7 cm (DIN size A4)  21.6 cm by 29.7 cm (DIN size A4)  All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(g): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(p): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  IARGINS. 37 CFR 1.84(p): Acceptable margins:  Drawings sheets not an acceptable size. Fig(s)  Numbers and reference characters not plain and legible.  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1)  Fig(s)  IARGINS. 37 CFR 1.84(p)(1)  IARGINS. 37 CFR 1.84(p)(2)  IA		11 SHADING 37(CEP/1 84(m)
Solid black shading not permitted, Fig(s)		
Shade lines, pale, rough and blurred. Fig(s)		
21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches)  All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  ARGINS. 37 CFR 1.84(g): Acceptable margins: Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s)  Drawings sheets not an acceptable size. Fig(s)  ARGINS. 37 CFR 1.84(g): Acceptable margins: Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s)  Drawings sheets not an acceptable size. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Drawings sheets not an acceptable size. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at leas 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s)  14. NUMBERING OF DRAWINGS. 37 CFR 1.84(p)(3) Sheets not numbered consecutively, and in Arabic numers beginning with number 1. Sheet(s)  Sheets not numbered consecutively, and in Arabic numers beginning with number 1. Fig(s)  ECTIONAL VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMENTS  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Summers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  13. LEAD LINES. 37 CFR 1.84(p)(2)  Sheets not under the view. 37 CFR 1.84(p)(2)  Fig(s)  Sheets not under the		
21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) IARGINS. 37 CFR 1.84(g): Acceptable margins:  op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size op 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: I/2 x 11 Iargins not pacceptable. Fig(s) Top (T) Right (R) Bottom (B) EMINDER: Specification may require revision to orrespond to drawing changes.  brief(s) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMENTS  37 CFR 1.84(p) Numbers and reference characters not plain and legible. Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at leas .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s)  Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s) Lead lines missing. Fig(s)  14. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMENTS		
All drawing sheets not the same size.  Sheet(s)  Drawings sheets not an acceptable size. Fig(s)  Size: Ad Size  Drawings sheets not an acceptable size. Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(3)  Fig(s)  Lead Lines. 37 CFR 1.84(p)(3)  Fig(s)  Lead lines missing. Fig(s)  NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u)  Views not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  MMFNTS  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(3)  Fig(s)  English alphabet not used. 37 CFR 1.84(p)(3)  Fig(s)  Inable lines missing. Fig(s)  Numbers and reference characters most beat leas and reference characters must be at leas .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)  Fig(s)  Inable lines missing. Fig(s)  Numbers and reference characters most observed. 37 CFR 1.84(p)(3)  Fig(s)  Inable lines missing. Fig(s)  Numbers letters and reference characters must be at leas .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)  Fig(s)  Numbers letters and reference cha	21.6 cm by 27.9 cm (8 1/2 x 11 inches)	
Sheet(s)	All drawing sheets not the same size.	Numbers and reference characters not plain and legible.
	Sheet(s)	
ARGINS. 37 CFR 1.84(g): Acceptable margins:  Dep 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Size A4 Size Size A4 Size Dep 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size A4 Size Ait (p) (2) Size A1 Size A1 Size Size A4 Size Ait (p) (2) Size A1 Size Ait (p) (2) Size A1 Size A1 Size Size A4 Size Ait (p) (2) Size A1 Size A1 Size Size A4 Size A1 Size Size A1 Size A1 Size A1 Size Size A1 Si	Drawings sheets not an acceptable size. Fig(s)	
Fig(s) English alphabet not used. 37 CFR 1.84(p)(2)  Figs SIZE: A4 Size SIZE: A4 Size SIZE: A4 Size SIZE: A4 Size	IARGINS. 37 CFR 1.84(g): Acceptable margins:	
SIZE: A4 Size  pp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  SIZE 8 1/2 x 11  largins not acceptable. Fig(s)  Right (R)  Bottom (B)  EMINDER: Specification may require revision to orrespond to drawing changes.  Atrial views. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  ECTIONAL VIEWS. 37 CFR 1.84 (h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMENTS  Enlarged view not labeled with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMENTS  English alphabet not used. 37 CFR 1.84(p)(2)  Figs)  Numbers, letters and reference characters must be at leas 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)  Fig(s)  Lead lines cross each other. Fig(s)  Lead lines cross each other. Fig(s)  Lead lines missing. Fig(s)  Lead lines missing. Fig(s)  Lead lines missing. Fig(s)  Lead lines cross each other. Fig(s)  Lead lines missing. Fig(s)  Lead lines cross each other. Fig(s)  Lead lines missing. Fig(s)  Lead lines cross each other. Fig(s)  Lead lines missing. Fig(s)  Lead lines cross each other. Fig(s)  Lead lines cross each other. Fig(s)  Lead lines missing. Fig(s)  Lead lines cross each other. Fig(s)  L		same direction as the view. 37 CFR 1.84(p)(1)
Size		Fig(s)
SIZE 8 1/2 x 11  largins not acceptable. Fig(s)  Right (R)  Right (R)  Bottom (B)  IEWS. 37 CFR 1.84(h)  EMINDER: Specification may require revision to orrespond to drawing changes.  artial views. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMFNTS  Numbers, letters and reference characters must be at leas .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)  Lead lines missing: Fig(s)  Lead lines missing: Fig(s)  Lead lines missing: Fig(s)  Lead lines missing: Fig(s)  Sheets not numbered consecutively, and in Arabic numers beginning with number 1. Sheet(s)  Views not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Fig(s)  MMFNTS		English alphabet not used. 37 CFR 1.84(p)(2)
Sectional designation should be noted with Arabic or Roman numbers. Fig(s)   Sig(s)   Sig(s		Figs
Top (T)   Left (L)   Right (R)   Bottom (B)   13. LEAD LINES. 37 CFR 1.84(q)   Lead lines cross each other. Fig(s)   Lead lines missing. Fig(s)   Lead lines cross each other. Fig(		Numbers, letters and reference characters must be at leas
Right (R) Bottom (B)  IEWS. 37 CFR 1.84(h)  EBMINDER: Specification may require revision to orrespond to drawing changes.  artial views. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMENTS  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines cross each other. Fig(s)  Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s)  Views not labeled separately or properly.  Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s)  Corrections. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s)  Corrections. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s)  Lead lines missing: Fig(s)  Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s)  Lead lines missing: Fig(s)  Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s)  Lead lines missing: Fig(s)  NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s)  Lead lines missing: Fig(s)  Lead lines mis		.32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)
Lead lines cross each other. Fig(s)   Lead lines cross each other. Fig(s)   Lead lines missing: Fig(s		
EMINDER: Specification may require revision to prespond to drawing changes.  artial views. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  Views not labeled separately or properly.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  ECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMENTS  Lead lines missing: Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u)  Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s)  Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s)  Corrections. 37 CFR 1.84(u)  Corrections not made from prior PTO-948  dated  17. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate. Fig(s)  Solid black shading not used for color contrast.  Fig(s)  MMENTS		
Artial views. 37 CFR 1.84(h)(2)  Brackets needed to show figure as one entity.  Fig(s)  Enlarged view not labeled separately or properly.  Fig(s)  ECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  MMFNTS   14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u)  Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s)  Local Corrections of numbered consecutively, and in Arabic numera beginning with number 1. Fig(s)  Corrections. 37 CFR 1.84(w)  Corrections not made from prior PTO-948  dated  17. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate. Fig(s)  Solid black shading not used for color contrast.  Fig(s)  Fig(s)  MMFNTS		
Sheets not numbered consecutively, and in Arabic numeral beginning with number 1. Sheet(s)		
Brackets needed to show figure as one entity.  Fig(s)		
Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not labeled separately or properly.  Fig(s)		
Views not labeled separately or properly.  Fig(s)  Enlarged view not labeled separetely or properly.  Fig(s)  Enlarged view not labeled separetely or properly.  Fig(s)  ECTIONAL VIEWS. 37 CFR 1.84 (h)(3)  Hatching not indicated for sectional portions of an object.  Fig(s)  Sectional designation should be noted with Arabic or  Roman numbers. Fig(s)  MMFNTS  Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s)  CORRECTIONS. 37 CFR 1.84(w)  Corrections not made from prior PTO-948  dated  17. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate. Fig(s)  Solid black shading not used for color contrast.  Fig(s)		
Fig(s)		
Enlarged view not labeled separetely or properly.  Fig(s)		
Fig(s) Corrections not made from prior PTO-948 dated		
dated   dated   Hatching not indicated for sectional portions of an object.   17. DESIGN DRAWINGS. 37 CFR 1.152   Surface shading shown not appropriate. Fig(s)   Solid black shading not used for color contrast.   Fig(s)   Fig(s)   Solid black shading not used for color contrast.   Solid black shading not used	<del></del>	
Hatching not indicated for sectional portions of an object.  Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  MMFNTS  17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s)		
Fig(s) Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast. Fig(s)		
Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast.		
Roman numbers. Fig(s) Fig(s)		
MMENTS 0 115		
MMENTS Remove O from #5	• · · · · · · · · · · · · · · · · · · ·	V. /
MMENTS Remove O from #5		
MMENTS Remove O from #		, (e
Remove () from Ft	MMENTS	142
Form C Fronty	Kingone / 100m	a. It
	politic ( ) + G	09 7/

TELEPHONE NO.

### INFORMATION ON HOW TO EFFECT DRAWING CHANGES

#### 1. Correction of Informalities--37 CFR 1.85

File new drawings with the changes incorporated therein. The application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match the drawings to the proper application, should be placed on the back of each sheet of drawings in accordance with 37 CFR 1.84(c). Applicant may delay filing of the new drawings until receipt of the Notice of Allowability (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.136. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Processing Branch.

### 2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37). If a correction is determined to be unacceptable by the Office, applicant must arrange to have acceptable corrections resubmitted within the original three-month period to avoid the necessity of obtaining an extension of time and paying the extension fee. Therefore, applicant should file corrected drawings as soon a possible.

Failure to take corrective action within set (or extended) period will result in ABANDONMENT of the Application.

### 3. Corrections other than Informalities Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than informalities noted by the Drawing Review Branch, MIST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

# **Attachment for PTO-948 (Rev. 03/01, or earlier)** 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

### INFORMATION ON HOW TO EFFECT DRAWING CHANGES

### 1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

## 2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

### **Timing of Corrections**

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.